

Document No.	BT-MSDS403	
Rev. No.	05	
Rev. Date	2022. 08. 16	

I. General Information

- A. Product Name/Catalogue Number
 - : AFIAS FSH / SMFP-5
- B. Recommended use of the chemical and restriction on use
 - Recommended use: In vitro diagnostic Medical Device
 - Restriction on use: For in vitro diagnostic use only.
- C. Manufacturer
 - : Boditech Med Inc.
- D. Address
 - : 43, Geodudanji 1-gil, Dongnae-myeon, Chuncheon-si, Gangwon-do, Korea
- E. Emergency Phone No.
 - : +82-33-243-1400

II. Hazard Identification		
GHS classification of the product a	nd national or regional	
	Cartridge	
GHS classification	Not applicable	
IMDG Code	Not applicable	
GHS label elements including preca	utionary	
	Cartridge	
Symbols	No data available	
Signal word	No data available	
Hazard statements	No data available	
Precautionary statements		
	Cartridge	
Prevention	No data available	
Reaction	No data available	
Storage	No data available	
Disposal	No data available	

양식-GE02-15 (Rev. 02) **1 / 6**



Document No.	BT-MSDS403
Rev. No.	05
Rev. Date	2022. 08. 16

Other hazards

	Cartridge
Test strip	Housing
	Health: 0
NEPA No data available	Flammability: 0
available	Physical hazard: 0

III. Composition/Information on Ingredients

[Cartridge]

	Component	Synonyms	Classification No.	Amount (%)
Haveine	Poly(methyl methacrylate)	PMMA	9011-14-7	55 ~ 70
Housing	Acrylonitrile butadiene styrene	ABS	9003-56-9	28 ~ 45

IV. First Aid Measures

- In case of eye contact
- : Remove from source of exposure. Wash with copious amounts of water for at least 15 minutes. If irritation or signs of toxicity occur, seek medical attention.
- In case of skin contact
- : Remove from source of exposure. Wash affected area with soap and water. If irritation or signs of toxicity occur, seek medical attention.
- If inhaled
- : Get medical attention immediately. Remove to fresh air. If not breathe, give cardiopulmonary resuscitation. If breathing is difficult, give oxygen and continue to monitoring.
- If swallowed
- : If irritation or signs of toxicity occur, seek medical attention.
- * The following symptoms may occur: Irreversible eye damage.
- * Medical conditions aggravated by exposure: Pre-existing eye ailments. Hypersensitivity.
- * This material should be considered as being potentially infectious.

V. Fire Fighting Measures

- Recommended extinguishing media
- : Suitable extinguishing agents including CO₂, WATER SPRAY or regular form.
- Specific hazard from the chemical
- : Non-flammable, Corrosive or toxic gases and fume may be occurred in fire-emergency. Inhalation may be harmful.
- Special measure for fire-fighters
- : Rescuers need to note the personal protective equipment. If not danger, remove containers. Non-flammable, Corrosive

양식-GE02-15 (Rev. 02) **2 / 6**



Document No.	BT-MSDS403
Rev. No.	05
Rev. Date	2022. 08. 16

or toxic gases and fume may be occurred in fire-emergency. Inhalation may be harmful.

- Protective Equipment and precautions for Fire fighters
- : Chemical resisted protective equipment for fire-fighter.

VI. Accidential Release Measures

- Personal precautions
- * If not danger, stop to leak
- * Do not contact with exposed material without protective equipment
- * Note the avoid conditions and materials
- * Do not breathe dust / fume / gas / mist / vapours / spray
- Environmental precautions
- : No data available
- Methods and materials for purification and cleaning up
- : After absorbed exposed materials, clean up with cleaner and water

VII. Handling and Storage

- Precaution for safe handling
- * Avoid skin friction.
- * Note the avoid conditions and materials from fire or flame.
- * Protective equipment: Chemical resisted protective goggles, gloves, clothes and mask
- Method for safe handling
- * Note the avoid conditions and materials.
- * Store container tightly closed in a well-ventilated area.
- * Storage temperature: low temperature

VIII. Exposure controls and Personal protection

- Engineering management
- : Good insolation and ventilation should be sufficient to control airborne levels.
- Personal protective equipment

Respiratory protection	Chemical resisted respiratory protection
Hand protection	Chemical resisted protective gloves
Eye protection	Chemical resisted eye protection
Skin and body protection	Chemical resisted protective clothes

- Standard of exposure

Chemical	No data available
Biological	No data available

양식-GE02-15 (Rev. 02) 3 / 6



Document No.	BT-MSDS403	
Rev. No.	05	
Rev. Date	2022. 08. 16	

IX. Physical and Chemical properties

Cartridge			
	Test strip	Housing	
State	No data available	Natural color or pigment	
	NO data available	processed color	
Odor	Odorless	Little odorless	
Odor threshold value	No data available	No data available	
рН	No data available	Natural	
Melting/	No data available	180 ~ 200°C/	
Freezing point	INO data available	No data available	
Initial boiling point or boiling range	No data available	No data available	
Flash point	No flash occurred under	No data available	
	90 °C (Closed-cup)		
Evaporating rate	No data available	No data available	
Lower explosion limit	No data available	No data available	
Upper explosion limit	No data available	No data available	
Vapor pressure	No data available	No data available	
Water solubility	No data available	Not soluble in water,	
y		soluble in acetone	
Density	No data available	1.11	
Vapor density	No data available	No data available	
Specific gravity	No data available	No data available	
Specific gravity	(water=1)	(water=1)	
N-octan/water partition coefficient	No data available	No data available	
Auto-ignition temperature	No data available	No data available	
Decomposition	No data available	No data available	
temperature			
Viscosity	No data available	No data available	
Molecular weight	No data available	50,000 ~ 250,000	

X. Stability and Reactivity

양식-GE02-15 (Rev. 02) 4 / 6



Document No.	BT-MSDS403	
Rev. No.	05	
Rev. Date	2022. 08. 16	

	Cart	ridge
	Test strip	Housing
Chemical stability	- Irritation or toxic gases and fume may be occurred in fire-emergency - Inhalation may harmful	- Stable at high temperature and pressure
Conditions to avoid	Heat, high temperature	Heat, high temperature above 200°C
Materials to avoid	No data available	Oxidizing agent: fire or explosive risk
Hazardous decomposition products formed under fire conditions	Irritation or toxic gases and	fume may be occurred in fire-emergency

XI. Toxicological Information

Information on the likely routes of exposure	No data available
Acute toxicity	No data available
Skin corrosion/Irritation	No data available
Serious eye damage/Eye irritation	No data available
Respiratory/Skin sensitization	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	No data available
Reproductive toxicity	No data available
Specific target organ toxicity (single exposure)	No data available
Specific target organ toxicity (repeated exposure)	No data available
Aspiration hazard	No data available

XII. Ecological Information

Toxicity	No data available
Persistence and degradability	No data available
Bio-accumulative potential	No data available
Mobility in soil	No data available

양식-GE02-15 (Rev. 02) **5 / 6**



Document No.	BT-MSDS403
Rev. No.	05
Rev. Date	2022. 08. 16

Other adverse effects	No data available	
-----------------------	-------------------	--

XIII. Disposal Considerations		
Cartridge	Test strip	Not available
	Housing	Consider the notice on Waste management act

XIV. Transport Information	
IMDG Code	No data available
DRF	No data available
RID	No data available
ADR	No data available
AND	No data available
IATA	Not regulated as dangerous goods

⁻ Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

XV. Regulatory Information

Korea Industrial Safety and Health Act	No data available
Korea Hazardous Materials Safety Control Act	No data available
Korea Toxic Chemical Control Act	No data available
Korea Wastes Control Act	No data available
Other internal and foreign acts	No data available

XVI. Other Notes

Limitations: The information and recommendations set forth in this MSDS are believed to be correct as of this date.

양식-GE02-15 (Rev. 02) 6 / 6