

Document No.	BT-MSDS439
Rev. No.	03
Rev. Date	2022. 08. 16

I. General Information

- A. Product Name/Catalogue Number
 - : AFIAS Cardiac Triple / SMFP-59
- B. Recommended use of the chemical and restriction on use
 - Recommended use: In vitro diagnostic Medical Device
 - Restriction on use: For in vitro diagnostic use only.
- C. Manufacturer
 - : Boditech Med Inc.
- D. Address
 - : 43, Geodudanji 1-gil, Dongnae-myeon, Chuncheon-si, Gangwon-do, Korea
- E. Emergency Phone No.
 - : +82-33-243-1400

II. Hazard Identification					
GHS classification of the product a	GHS classification of the product and national or regional				
	Cartridge				
GHS classification	Not applicable				
IMDG Code	Not applicable				
GHS label elements including prec	autionary				
	Cartridge				
Symbols	No data available				
Signal word	No data available				
Hazard statements	No data available				
Precautionary statements					
	Cartridge				
Prevention No data available					
Reaction	Reaction No data available				
Storage	No data available				
Disposal No data available					

양식-GE02-15 (Rev. 02) **1 / 6**



Document No.	BT-MSDS439
Rev. No.	03
Rev. Date	2022. 08. 16

Other hazards

	Cartridge	
Test strip	Housing	
	Health: 0	
NEPA NEPA available	Flammability: 0	
available	Physical hazard: 0	

III. Composition/Information on Ingredients

[Cartridge]

	Component	Synonyms	Classification No.	Amount (%)
	Poly(methyl methacrylate)	PMMA	9011-14-7	55 ~ 70
Housing	Acrylonitrile butadiene styrene	ABS	9003-56-9	28 ~ 45

IV. First Aid Measures

- In case of eye contact
- : Remove from source of exposure. Wash with copious amounts of water for at least 15 minutes. If irritation or signs of toxicity occur, seek medical attention.
- In case of skin contact
- : Remove from source of exposure. Wash affected area with soap and water. If irritation or signs of toxicity occur, seek medical attention.
- If inhaled
- : Get medical attention immediately. Remove to fresh air. If not breathe, give cardiopulmonary resuscitation. If breathing is difficult, give oxygen and continue to monitoring.
- If swallowed
- : If irritation or signs of toxicity occur, seek medical attention.
- * The following symptoms may occur: Irreversible eye damage.
- * Medical conditions aggravated by exposure: Pre-existing eye ailments. Hypersensitivity.
- * This material should be considered as being potentially infectious.

V. Fire Fighting Measures

- Recommended extinguishing media
- : Suitable extinguishing agents including CO₂, WATER SPRAY or regular form.
- Specific hazard from the chemical
- : Non-flammable, Corrosive or toxic gases and fume may be occurred in fire-emergency. Inhalation may be harmful.
- Special measure for fire-fighters
- : Rescuers need to note the personal protective equipment. If not danger, remove containers. Non-flammable, Corrosive or toxic gases and fume may be occurred in fire-emergency. Inhalation may be harmful.

양식-GE02-15 (Rev. 02) **2 / 6**



Document No.	BT-MSDS439
Rev. No.	03
Rev. Date	2022. 08. 16

- Protective Equipment and precautions for Fire fighters
- : Chemical resisted protective equipment for fire-fighter.

VI. Accidential Release Measures

- Personal precautions
- * If not danger, stop to leak
- * Do not contact with exposed material without protective equipment
- * Note the avoid conditions and materials
- * Do not breathe dust / fume / gas / mist / vapours / spray
- Environmental precautions
- : No data available
- Methods and materials for purification and cleaning up
- : After absorbed exposed materials, clean up with cleaner and water

VII. Handling and Storage

- Precaution for safe handling
- * Avoid skin friction.
- * Note the avoid conditions and materials from fire or flame.
- * Protective equipment: Chemical resisted protective goggles, gloves, clothes and mask
- Method for safe handling
- * Note the avoid conditions and materials.
- * Store container tightly closed in a well-ventilated area.
- * Storage temperature: low temperature

VIII. Exposure controls and Personal protection

- Engineering management
- : Good insolation and ventilation should be sufficient to control airborne levels.
- Personal protective equipment

Respiratory protection	Chemical resisted respiratory protection
Hand protection	Chemical resisted protective gloves
Eye protection	Chemical resisted eye protection
Skin and body protection	Chemical resisted protective clothes

- Standard of exposure

Chemical	No data available
Biological	No data available

양식-GE02-15 (Rev. 02) 3 / 6



Document No.	BT-MSDS439
Rev. No.	03
Rev. Date	2022. 08. 16

IX. Physical and Chemical properties

Cartridge			
	Test strip	Housing	
State	Na [*] No data available	Natural color or pigment	
		processed color	
Odor	Odorless	Little odorless	
Odor threshold value	No data available	No data available	
рН	No data available	Natural	
Melting/	No data available	180 ~ 200°C/	
Freezing point	Tro data available	No data available	
Initial boiling point or boiling range	No data available	No data available	
Flash point	No flash occurred under	No data available	
	90 ℃ (Closed-cup)		
Evaporating rate	No data available	No data available	
Lower explosion limit	No data available	No data available	
Upper explosion limit	No data available	No data available	
Vapor pressure	No data available	No data available	
Water solubility	No data available	Not soluble in water,	
,		soluble in acetone	
Density	No data available	1.11	
Vapor density	No data available	No data available	
Specific gravity	No data available	No data available	
	(water=1)	(water=1)	
N-octan/water partition coefficient	No data available	No data available	
Auto-ignition temperature	No data available	No data available	
Decomposition	No data available	No data available	
temperature			
Viscosity	No data available	No data available	
Molecular weight	No data available	50,000 ~ 250,000	

양식-GE02-15 (Rev. 02) 4 / 6



Document No.	BT-MSDS439
Rev. No.	03
Rev. Date	2022. 08. 16

X. Stability and Reactivity

	Cart	ridge
	Test strip	Housing
Chemical stability	- Irritation or toxic gases and fume may be occurred in fire-emergency	- Stable at high temperature and pressure
Conditions to avoid	- Inhalation may harmful Heat, high temperature	Heat, high temperature above 200°C
Materials to avoid	No data available	Oxidizing agent: fire or explosive risk
Hazardous decomposition products formed under fire conditions	Irritation or toxic gases and	fume may be occurred in fire-emergency

XI. Toxicological Information

Information on the likely routes of exposure	No data available
Acute toxicity	No data available
Skin corrosion/Irritation	No data available
Serious eye damage/Eye irritation	No data available
Respiratory/Skin sensitization	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	No data available
Reproductive toxicity	No data available
Specific target organ toxicity (single exposure)	No data available
Specific target organ toxicity (repeated exposure)	No data available
Aspiration hazard	No data available

XII. Ecological Information

Cartridge		
Toxicity	No data available	
Persistence and degradability	No data available	
Ohl and degradability	TWO data available	

양식-GE02-15 (Rev. 02) **5 / 6**



Document No.	BT-MSDS439
Rev. No.	03
Rev. Date	2022. 08. 16

Bio-accumulative potential	No data available
Mobility in soil	No data available
Other adverse effects	No data available

XIII. Disposal Considerations

Cartridge	Test strip	Not available
Cartridge	Housing	Consider the notice on Waste management act

XIV. Transport Information

IMDG Code	No data available
DRF	No data available
RID	No data available
ADR	No data available
AND	No data available
IATA	Not regulated as dangerous goods

⁻ Not a dangerous good under DOT, IATA, ADR, IMDG, or RID

XV. Regulatory Information

Korea Industrial Safety and Health Act	No data available
Korea Hazardous Materials Safety Control Act	No data available
Korea Toxic Chemical Control Act	No data available
Korea Wastes Control Act	No data available
Other internal and foreign acts	No data available

XVI. Other Notes

Limitations: The information and recommendations set forth in this MSDS are believed to be correct as of this date.

양식-GE02-15 (Rev. 02) 6 / 6